

Technical Data Sheet

AL-TDS-T800



Product	ALINA LIFE™ functional organoclay
Product name	T800
Description	ALINA LIFE™ is a novel multifunctional filler material, environment-friendly and easy-to-use montmorillonite mineral, that prolongs the life and improves the striking appearance of natural oil finishing products.
Applications	ALINA LIFE™ is well-suited for use in natural oil paints, stains and lacquers.
Key Benefits	<ul style="list-style-type: none">• Multifunctional properties improves paint & coating product weathering performance.• Non-allergenic, non-toxic and non-carcinogenic. Environment and human health friendly. Cradle to Cradle Certified™ - Silver level Material Health Certificate.• In limited dosage, does not harm the matrix physico-chemical properties of the system.• Readily applicable for wet grinding and mixing with binders as well as pigments.• Disperses well in natural oil solvents.
Properties	<p>ALINA LIFE™ functional organoclay is naturally-occurring mineral surface-treated with quaternary ammonium compound:</p> <ul style="list-style-type: none">• Surface treated montmorillonite - microencapsulated organics.• Leaching resistant microstructure, VOC and AOX free.• Both hydrophilic and hydrophobic properties.• Slurry form, contains 80% natural oil.• <53 µm (D100) slurry. Applicable for grinding until 1 µm.• Alkali-, acidic- and UV-stable material.• 1,10-1,20 g/cm³ bulk density.



Material lifetime protection.

- White color.

Ease of Use	Used as an additive to paint material at a dosage of 5%-15%. Recommended dosage calculated for the paint volume. When used in various formulations, amenable for wet grinding down to 1 µm particle size. Can be added directly as a slurry, to simplify dispersion, recommended gradual dispersion into the volume.
Composition	Natural oil suspension of dry organophilized smectite (2:1) with quaternized ammonium salts. Montmorillonite mineral - material base/ vehicle: chlorite, illite, carbonates, silica and hematite.
Thermal Resistance	Heating up to 160°C does not adversely affect physical and functional characteristics of ALINA LIFE™.
Safety & Regulatory	Classified as non-hazardous under EC 1272/2008. Refer to Safety Data Sheet. Complies with European Reach Regulation EC/1907/2006.
Packaging	20 kg plastic package.
Storage, Handling, and Disposal	Store in a dry place. Please refer to the SDS for safety and disposal advice.
Certification	<ul style="list-style-type: none">• ALINA SIA has had their ALINA LIFE™ assessed against the criteria of the Material Health category in the Cradle to Cradle Certified™ Product Standard and was awarded a Silver level Material Health Certificate by the Cradle to Cradle Products Innovation Institute. For more information please visit Institute Material Health Certificate registry.



Material lifetime protection.

- ALINA LIFE™ is a raw material used for Paint manufacturing that is compliant with the requirements for Blue Angel Eco-Label - Low-Emission Interior Wall Paints Annex 1 criteria. For compliance documents, please contact ALINA team.

NOTICE: This technical data sheet is a guide to the properties of ALINA LIFE™ and its potential applications. Further technical information is available from ALINA SIA. Any data given in this document indicate typical product properties and no specification or warranty is implied. Although all information is given in good faith, we cannot accept any liability in connection with either the accuracy or completeness of such information, or that it or ALINA LIFE™ will be suitable for any particular purpose. It is your responsibility to ensure that any process you use or any product you make using ALINA™ products does not infringe any patent, complies with relevant local and international laws and directives and follows best practice standards for workplace safety and disposal. Please refer to the SDS for safety related information. It is ALINA's policy to update this information regularly. You are therefore advised to check that this leaflet is the most up-to-date.

